GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

MA&UD Department- Kakinada Municipal Corporation-Certain Allegations against Sri K. Virupaksha Rao, the then Assistant Engineer, Kakinada Municipal Corporation in the execution of works taken up by Municipal Corporation of Kakinada, East Godavari District - Departmental Proceedings under Rule-20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 – Article of Charges - Issued.

==========

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (VIG.I) DEPARTMENT

G.O.Rt.No.756 **Dated. 06.11.2023.**
Read the Following

1.From the D.G. (V&E) Department, Vigilance Report No.18 (C.No.475/V&E/E/2017), dated.05.03.2021.
2. G.O.Rt.No.702, MA&UD (Vig.I) Department, dated.14.12.2021.

O R D E R:

It is proposed to hold an enquiry against Sri K. Virupaksha Rao, the then Assistant Engineer, Kakinada Municipal Corporation in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The statement of articles of charges and statement of imputations of misconduct and misbehaviour in respect of which the inquiry is proposed to be held is set out in the enclosed Annexures- I & II. A list of documents by which and a list of witnesses by whom, the articles of charges proposed to be sustained are also enclosed in Annexures-III & IV.

3. Sri K. Virupaksha Rao, the then Assistant Engineer, Kakinada Municipal Corporation is directed to submit his written statement of defense within (10) days from the date of receipt of this order.

4. Sri K. Virupaksha Rao, the then Assistant Engineer, Kakinada Municipal Corporation is informed that an inquiry will be held only in respect of those articles of charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri K. Virupaksha Rao, the then Assistant Engineer, Kakinada Municipal Corporation is further informed that if he does not submit his written statement of defence on or before the date specified in para (3) above, further action will be processed based on the material available.

6. Attention of Sri K. Virupaksha Rao, the then Assistant Engineer, Kakinada Municipal Corporation is invited to Rule 24 of the Andhra Pradesh Civil Services (conduct) Rules, 1964, under which no Government Servant shall bring or

(P.T.O)

attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings it will be presumed that above K. Virupaksha Rao, the then Assistant Engineer, Kakinada Municipal Corporation is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

7. The Engineer-In – Chief , A.P., Guntur is directed to furnish copies of documents as per Annexure-III to K. Virupaksha Rao, the then Assistant Engineer, Kakinada Municipal Corporation

8. The receipt of G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Y.SRILAKSHMI
SPECIAL CHIEF SECRETARY TO GOVERNMENT

To
Sri K. Virupaksha Rao, the then Assistant Engineer, Kakinada Municipal Corporation, Through the Engineer-in-Chief, (Public Health), A.P., Tadepalli.
The Engineer-in-Chief, (Public Health), A.P., Tadepalli.
The Commissioner, Kakinada Municipal Corporation, Kakinada.

Copy to:
The General Administration (V&E) Dept., AP, Vijayawada.
The Secretary to A.P.Vigilance Commission, 5th Building, A.P. Secretariat.
Sf/Sc (E-1427348)

// FORWARDED BY ORDER//

SECTION OFFICER.